STANDARD LENS



Dr. Joseph Ceravolo, MD



1240 Brookstone Centre Parkway Columbus, GA 31904 (706) 323-8127 2496 Enterprise Dr. Opelika, AL 36801 (334) 705-8803

POST-OPERATIVE CATARACT INSTRUCTIONS

THE FOLLOWING ARE SOME IMPORTANT CONSIDERATIONS REGARDING THE FIRST WEEK FOLLOWING YOUR SURGERY:

- 1. Expect mild scratchiness, irritation, and/or discomfort. Also expect blurred vision for 3-5 days after surgery.
- 2. Do not rub or scratch your eyes.
- 3. Take Tylenol or other aspirin-free pain reliever as needed for pain.
- 4. Before lying down or going to bed, place the clear plastic shield over your operated eye with the provided tape.
- 5. Wear some protection over the operative eye during the day, such as sunglasses provided in your post-op bag.
- 6. If you experience any problems other than those relayed to you by myself or my staff, please do not hesitate to call our office at (706) 323-8127, or for <u>EMERGENCIES</u> my cell phone # is: (706) 536-2727.
- 7. You may return to work after your one day post op appointment.
- 8. See reverse side for medication instructions.



BESIVANCE (TAN CAP): Generic: Ciprofloxacin

SURGERY DAY ONE(1) DROP EVERY 2 HOURS AFTER SURGERY

FOLLOWING SURGERY DAY ONE (1) DROP FOUR (4) TIMES A DAY FOR ONE WEEK.



LOTEMAX (PINK CAP) (SHAKE WELL BEFORE USE): Generic: PREDNISOLONE

FOLLOWING SURGERY DAY ONE (1) DROP TWICE A DAY FOR 4 WEEKS.



BROMDAY: Generic: Diclofenac (twice a day)

SURGERY DAY ONE(1) DROP EVERY 2 HOURS AFTER SURGERY

FOLLOWING SURGERY DAY
ONE (1) DROP ONE (1) TIME A DAY DURING FIRST WEEK.
ONE (1) DROP ONE (1) TIME A DAY DURING SECOND WEEK.
ONE (1) DROP ONE (1) TIME A DAY DURING THIRD WEEK.

THESE WILL LIKELY RUN OUT BEFORE THE REGIMEN ISCOMPLETE. YOU WILL NOT NEED TO REFILL THESE DROPS UNLESS OTHERWISE INSTRUCTED BY YOUR PHYSICIAN.